



## DUAL WASTE REGULATED MEDICAL WASTE TREATMENT\* PLUS THERMAL DESTRUCTION\*\*

<b>Photo</b>	<div data-bbox="492 163 698 267" style="border: 1px solid black; padding: 5px; text-align: center;">"DUAL WASTE"</div> <p data-bbox="384 285 814 311" style="text-align: center;"><b>Bins Must Be Labeled "Dual Waste"</b></p>
<b>Description</b>	<p data-bbox="519 360 679 384" style="text-align: center;"><b>DUAL WASTE</b></p> <p data-bbox="317 394 881 418" style="text-align: center;"><b>Mixture of biohazardous and hazardous waste</b></p> <p data-bbox="418 467 783 491" style="text-align: center;"><b>RARE: AVOID WHEN POSSIBLE</b></p> <p data-bbox="394 501 807 525" style="text-align: center;"><b>It's the most expensive to destroy</b></p>
<b>Typical Items That May Go In This Waste Bin</b>	<p data-bbox="322 586 876 684" style="text-align: center;"><b>Hazardous or Non-Hazardous Waste Mixed In with Infectious Waste (i.e., Mitomycin used in Urology procedures)</b></p> <p data-bbox="306 731 886 824" style="text-align: center;"><b>If made, ask about constituents that created it and review practice to avoid it happening in the future.</b></p>
<b>What Should NOT Go In This Bin</b>	<p data-bbox="415 923 783 946" style="text-align: center;"><b>NO CONTROLLED SUBSTANCES</b></p>